3 Movement Rotate, Swivel & Tilt
LED/ LCD/ PLASMA WALL MOUNT

Assembly instructions



Model	Elegant Audio Video Self	Elegant Cable Cover
43	80	83
	Not UL listed	

⚠ CAUTION - This Mount is intended for use only with the maximum weight as indicated. Using heavier products, might cause injury.

Fits Up to	Max	
	US	EU
60" 152cm LCD/Plasma	100lbs	60kg

Barkan mounting systems *a better point of view ™*

www.barkanmounts.com

110043.3 15.07.10

1:10

A x1

B x1

C  x1

D  x1

E x1

F x4

G x4

H x1

I x1

J x1

K  x2

L  x2

M
The provided M bolts may change in size according to the evolution of screen market requirements
x1

N x1

O x1

P x1

1:5

Q x1

R x2

S x1

T x2

1:2

U x5

V x5

W x2

X x1

Y 

x8

Z 

x13

AA 

x9

AB 

x1

AC 

x1

AD x9

AE

x4

AF 

x17

AG 

x2

AH 

x19

AI 

x1

AJ

x1

AK x2




Tools Required
No.2+3
6mm
1/4"
10mm
3/8"
4mm
5/32"
9/16"
14mm
3/4"
19 mm


1
X+25cm/10"
CENTER
X(cm/in)
90°


BACK OF SCREEN
Max 16" / 40 cm
Max 16" / 40 cm
2A
BACK OF SCREEN
Max 18" / 45.5 cm
Max 31.5" / 80 cm
2B


2A x4
AF
AF
AD
AD
Z
D
F
Force
AH
F


AF
Z
E
AD
AH
3A


3A
M
M
AE/
AA


K
L
4


2B
X4
AF
G
Z
Y
F
AH


AF
AF
AD
AD
Z
D
F
AH


AF
Z
E
AD
AH


M
M
AE/
AA


K
L
4

4


Concrete, Solid bricks or Hollow concrete block walls
?
Wood stud wall

5


A

V
Ø4mm (5/32")
70 mm (2.76")


U
S

7

5


A


STOP
STOP
Ø6mm (1/4")
80 mm (3")
Ø10mm (3/8")
80 mm (3")

6

6


plaster coating
10mm
(3/8")
The anchor must be
sunk up to 10 mm(3/8")
into the plaster coating
V


AA
U
S


?
1
2
X2
1
2
X min 4 max 9

7


R
B


P
X
S


P
B
AB
AI

8 TEST!



60Kg/ 100Lbs.



60Kg/ 100Lbs.











9

9







10 DISCONNECT



DISCONNECT



DISCONNECT



Dear customer, we welcome your comments and suggestions to improve our products, ease of assembly and instructions. Please contact us via our website: **www.barkanmounts.com**